Chapter 1.3: Inverse Functions

Calculus I

College of the Atlantic. Fall 2014

1. Consider f(x) given below:

x	f(x)
-2	-6
-1	-4
0	-2
1	0
2	2
3	4

- (a) What is $f^{-1}(0)$?
- (b) What is $f^{-1}(-4)$?
- (c) Graph f(x).
- (d) Graph $f^{-1}(x)$.
- (e) How are the graphs of f(x) and $f^{-1}(x)$ related? Why?
- 2. Which of the following functions are invertible?
 - (a) f(x) = 3x + 2
 - (b) $g(x) = x^2$
 - (c) The cost c of x pounds of rice purchased in bulk.
 - (d) h(t), the number of hamburgers eaten by Jamie McKown on day t, where t is measured in days since January 1, 2010.
 - (e) H(t), the total, cumulative number of hamburgers eaten by Jamie McKown on day t, where t is measured in days since January 1, 2010.
- 3. The yumminess Q of TAB dinners increases quickly during the first three weeks of the term. It then decreases slowly for the rest of the term.
 - (a) Sketch a possible graph for Q(t), the quality of TAB dinners as a function of time, where time is measured in weeks since the start of a term.
 - (b) Sketch a possible graph for $Q^{-1}(t)$.
- 4. Let S(Q) give the fraction of TAB patrons consuming salads as a function of the quality of lunch entree. Assume that the lunch quality Q is measured on a scale of 1 to 5, with 5 indicating yumminess and 1 indicating in-edibility.
 - (a) Sketch a possible graph for S(Q).
 - (b) Sketch the inverse of S(Q).
 - (c) What is the meaning of S(4.2) = 0.5?
 - (d) What is the meaning of $S^{-1}(0.78) = 3.9$?