## 14.4–6: Gradient Vectors and Chain Rules Calculus III

College of the Atlantic. Winter 2016

- 1. Consider the function  $T(x, y, z) = e^{-(x^2+y^2+z^2)}$ .
  - (a) Determine the gradient vector for general x, y, z.
  - (b) Determine the gradient vector at the following points:
    - i. (0, 0, 0)ii. (1, 1, 1)iii. (1, 0, 0)
  - (c) What is the directional derivative of T in the  $-\hat{z}$  direction at (1,0,0)?
  - (d) What is the overall "shape" of the gradient vector field? How is this consistent with the level surfaces for this function?
- 2. Consider  $g(x) = \sin(x^3y^4)$ . Calculate  $g_{xx}$  and  $g_{xy}$ .
- 3. Let  $f(x) = x^2$ .
  - (a) Estimate f'(3) using a difference quotient of  $\Delta x = 0.1$ .
  - (b) Determine f'(3) exactly.
- 4. For some unknown reason, a square room is slowly expanding. All of its walls are increasing at a rate of 0.2 meters/day. How fast is the area of the room increasing when the side of the room is 8 meters long?
- 5. Let  $f(a, b) = a^2 b^3$ . At a particular moment in time, a = 3 and b = 4. At this moment, a is increasing at a rate of 2 units per second, while b is decreasing at 3 units per second. How fast is the function changing at this moment?
- 6. Suppose that z is a function of x and y: z = f(x, y). And suppose that x and y are both functions of u and v: x = g(u, v) and y = h(u, v). How does z vary with u? To answer this question you will need to derive a new chain rule formula.

- 7. Let the temperature along a metal rod be given by H(x, t), where: H is measured in Celsius degrees; x, the distance from the left end of the rod, is measured in centimeters; and t in minutes. Interpret the following equations:
  - (a) H(50,3) = 123. (b)  $H_t(50,3) = -2$ .
  - (c)  $H_x(50,3) = -0.2$ .
  - (d)  $H_{tx}(50,3) = 0.05.$
- 8. Let the temperature in a metal rod be given by the function  $T(x,t) = 100e^{-t}\sin(\pi x)$ , where t is measured in minutes and x in meters. The rod is one meter long. (So  $0 \le x \le 1$ .)
  - (a) Sketch T(x, 0) and T(x, 0.1).
  - (b) Using the two sketches you just drew, determine the signs of  $f_x$ ,  $f_t$ ,  $f_{xx}$ , and  $f_{xt}$  at x = 0.2.
  - (c) Using the two sketches you just drew, determine the signs of  $f_x$ ,  $f_t$ ,  $f_{xx}$ , and  $f_{xt}$  at x = 0.5.
  - (d) Using the two sketches you just drew, determine the signs of  $f_x$ ,  $f_t$ ,  $f_{xx}$ , and  $f_{xt}$  at x = 0.8.